

32 Matt Colors

posco
C&C



World best solution provider on coating & coloring

> 포스코강판은 은백색의 차가운 빛을 코팅과 표면 처리로 다양하고 아름다운 색상으로 변화시킵니다. 건물의 실내외 장식, 엘리베이터 내장재, 가전제품, 아파트방화문 등의 다양한 용도로 전 산업 분야에 걸쳐 활용하고 있습니다.

POSCO C&C brings diverse and beautiful colors to plain stainless steel with our proprietary surface treatment and coating technology.

We proudly present our exquisite products that are widely used for many different uses such as exterior decorations, elevator interiors, home appliances, fire doors, and etc.

POS-STS

Stainless Steel 32 Colors



BG-M001




CG-M001




BG-M002




CG-M002




BG-M003



CG-M003



BG-M004




CG-M004




RG-M001




RP-M001




RG-M002




RP-M002




RG-M003



RP-M003



RG-M004



RP-M004

POS-STS

Stainless Steel 32 Colors



WP-M001



OV-M001



WP-M002




OV-M002




WP-M003



OV-M003



WP-M004



OV-M004



DB-M001



IG-M001



DB-M002




IG-M002



DB-M003



IG-M003



DB-M004



IG-M004

* Technical Standard of Products


Characteristics	Test Conditions	Quality Spec	Remarks
Color	Naked eye	Within Standard SPL	Within Standard SPL
Gloss	Gloss Meter(60°)	Over 100%	BYK
T-Band	No Crack, No Peeling	2T	-
Pencil hardness	300mm/min×45°×500g	HB	Mitsubishi Uni-Pencil
1th CCET	5mm Cross-cut / Erichsen 7mm	No Peeling	Natural exfoliation
1th Impact	½"×50cm×500g	No peeling	100/100(1mm)
M,E,K Rubbing	1kg x Double stroke	Over 50 times	100/100(1mm)

상기 외 물성은 협의 필요

The above standards need to be discussed in advance.

* Scope of Manufacture

Size availability



Plant specification

- _ Capacity : 300,000 tons/year
- _ Coating Method : Roll Coating
- _ Manufacturing Scope
 - : (Thickness) 0.15~1.60mm
 - (Width) 500 ~ 1270mm
 - (Inner Diameter) 508mm, 610mm
- _ Applied Materials
 - : Stainless Steel

> 세상 모든 가치에 무게를 더하는 포스코 C&C

포스코강판의 메탈디자인은 세상을 더 아름답게 만들어 갑니다.
 효과적인 철강 솔루션의 개발과 실현.
 보다 세련되고 견고한 디자인.
 선제적 대응으로 고객 Needs에 다가가는 기업!
 이제, 포스코강판이 철강 제품의 창조적 가치를 더 합니다.

POSCO C&C Giving a weight for every value in the world.

POSCO C&C's metal design makes the world more beautiful.
 Development and materialization of effective steel solutions,
 More sophisticated and solid designs.
 We are approaching to customers' demands with a preemptive move.
 Now, POSCO C&C adds a creative value to steel products.

POS-STC
Stainless Steel 32 Colors

32 Matt Colors

www.poscocnc.com

Galvanizing Mill :

470 Jangheung-dong, Nam-gu, Pohang, Gyeongsangbuk-do, Korea
Tel. (054)280-6114

Prepainting Mill :

501-1 Goidong-dong, Nam-gu, Pohang, Gyeongsangbuk-do, Korea
Tel. (054)280-6600

Seoul Office :

Banpo Tower, 748-8 Banpo-dong, Seocho-gu, Korea
Tel. (02)2186-8800



World best solution provider on coating & coloring


> 포스코강판은 은백색의 차가운 빛을 코팅과 표면 처리로 다양하고 아름다운 색상으로 변화시킵니다. 건물의 실내외 장식, 엘리베이터 내장재, 가전제품, 아파트방화문 등의 다양한 용도로 전 산업 분야에 걸쳐 활용하고 있습니다.

POSCO C&C brings diverse and beautiful colors to plain stainless steel with our proprietary surface treatment and coating technology.

We proudly present our exquisite products that are widely used for many different uses such as exterior decorations, elevator interiors, home appliances, fire doors, and etc.

POS-ST5

Stainless Steel 32 Colors



BG-HG001



CG-HG001




BG-HG002




CG-HG002




BG-HG003



CG-HG003



BG-HG004



CG-HG004



RG-HG001




RP-HG001




RG-HG002




RP-HG002




RG-HG003



RP-HG003



RG-HG004



RP-HG004

POS-ST3

Stainless Steel 32 Colors



WP-HG001




OV-HG001




WP-HG002




OV-HG002




WP-HG003



OV-HG003



WP-HG004



OV-HG004




DB-HG001



IG-HG001



DB-HG002



IG-HG002



DB-HG003



IG-HG003



DB-HG004



IG-HG004

* Technical Standard of Products


Characteristics	Test Conditions	Quality Spec	Remarks
Color	Naked eye	Within Standard SPL	Within Standard SPL
Gloss	Gloss Meter(60°)	Over 100%	BYK
T-Band	No Crack, No Peeling	2T	-
Pencil hardness	300mm/min×45°×500g	HB	Mitsubishi Uni-Pencil
1th CCET	5mm Cross-cut / Erichsen 7mm	No Peeling	Natural exfoliation
1th Impact	½×50cm×500g	No peeling	100/100(1mm)
M,E,K Rubbing	1kg x Double stroke	Over 50 times	100/100(1mm)

상기 외 물성은 협의 필요

The above standards need to be discussed in advance.

* Scope of Manufacture

Size availability



Plant specification

- _ Capacity : 300,000 tons/year
- _ Coating Method : Roll Coating
- _ Manufacturing Scope
 - : (Thickness) 0.15~1.60mm
 - (Width) 500 ~ 1270mm
 - (Inner Diameter) 508mm, 610mm
- _ Applied Materials
 - : Stainless Steel

> 세상 모든 가치에 무게를 더하는 포스코 C&C

포스코강판의 메탈디자인은 세상을 더 아름답게 만들어 갑니다.
 효과적인 철강 솔루션의 개발과 실현.
 보다 세련되고 견고한 디자인.
 선제적 대응으로 고객 Needs에 다가가는 기업!
 이제, 포스코강판이 철강 제품의 창조적 가치를 더 합니다.

POSCO C&C Giving a weight for every value in the world.

POSCO C&C's metal design makes the world more beautiful.
 Development and materialization of effective steel solutions,
 More sophisticated and solid designs.
 We are approaching to customers' demands with a preemptive move.
 Now, POSCO C&C adds a creative value to steel products.

